AWARD NUMBER: W81XWH-13-1-0463

TITLE: The Ketogenic Diet and Potassium Channel Function

PRINCIPAL INVESTIGATOR: Dr. Geoffrey Murphy

CONTRACTING ORGANIZATION: Regents of the University of Michigan Ann Arbor, MI 48109

REPORT DATE: October 2014

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

## REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently

valid OMB control number. PLEASE DO NOT RETURN Y	OUR FORM TO THE ABOVE ADDRESS.	
1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
October 2014	Annual	30 Sep 2013 - 29 Sep 2014
4. TITLE AND SUBTITLE  The Ketogenic Diet and Potassium Channel Function		5a. CONTRACT NUMBER
		<b>5b. GRANT NUMBER</b> W81XWH-13-1-0463
•		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S) Geoffrey Murphy		5d. PROJECT NUMBER
		5e. TASK NUMBER
E-Mail: murphyg@umich.edu		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(: Regents of the University of Michigan Ann Arbor, Michigan 48109-2200		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY	NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
U.S. Army Medical Research and M	lateriel Command	
Fort Detrick, Maryland 21702-5012		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION / AVAILABILITY STAT	EMENT	,
Approved for Public Release; Distril	oution Unlimited	
13. SUPPLEMENTARY NOTES		
14. ABSTRACT		

The overall objective of this Discovery Award is to explore the hypothesis the ketogenic diet regulates neuronal excitability by influencing potassium channel activity via the auxiliary potassium channel subunit Kvβ2. To test this hypothesis we have examining the impact of the ketogenic diet on mice in which the gene that encodes Kvβ2 has been deleted (Kvβ2 KO mice) using an in vitro model of seizure induction. We have examined the first cohort of Kvβ2 KO mice and somewhat surprisingly it appears that Kvβ2 KO mice on a normal diet (ND) exhibit a lower frequency of in vitro bursting activity (seizures) which is reversed by treatment with the ketogenic diet (KD). Conversely, the latency to the first in vitro burst event is reduced in Kvβ2 KO mice on ND compared to wild-type mice on a ND. This effect was also reversed by the ketogenic diet. We are continuing to increase the sample size for this cohort and are developing additional computational tools to further analyze the seizure data.

#### 15. SUBJECT TERMS

Epilepsy, Ketogenic Diet, Seizure Disorder, Potassium Channels, Neurophysiology.

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRMC	
a. REPORT	b. ABSTRACT	c. THIS PAGE	Unclassified	6	19b. TELEPHONE NUMBER (include area code)
Unclassified	Unclassified	Unclassified			

# **Table of Contents**

	•	Page
1.	Introduction	. 4
2.	Keywords	. 4
3.	Overall Project Summary	. 4-5
4.	Key Research Accomplishments	. 5
5.	Conclusion	. 5
6.	Publications, Abstracts, and Presentations	. 6
7.	Inventions, Patents and Licenses	. 6
8.	Reportable Outcomes	. 6
9.	Other Achievements	. 6
10	). References	. 6
11	Appendices	. 6

#### 1. Introduction:


The overall goal of this Discovery Award is to explore the hypothesis that the ketogenic diet (KD), which is used to treat epilepsy (primarily in children) exerts a positive effect on seizure activity by regulating neuronal excitability via a subclass of potassium auxiliary subunits known as  $Kv\beta$  subunits. Therefore we have been treating genetically engineered mice that lack these subunits (specifically the  $Kv\beta2$  subunit) with the KD and examining the interaction of diet and seizure activity in vitro.


#### 2. Keywords:


Epilepsy, Ketogenic Diet, Seizure Disorder, Potassium Channels, Neurophysiology


#### 3. Overall Project summary:

Within the last year we have established a reasonably sized breeding colony of mice to support our research goals. As anticipated we have not encountered any issues in maintaining/genotyping this colony. To date we have made a significant number of recordings from mice lacking the  $Kv\beta2$  subunit ( $Kv\beta2$  KO mice) to compare to wild-type (WT) littermate controls. A sample recording from a typical experiment is presented in Figure1 below (scale bars: 100  $\mu$ V and 5 min, 30 sec, 10 ms for A, B & C respectively).









Recordings are made in CA3 region of the hippocampal slices prepared under standard conditions (e.g. (Moore, Throesch et al. 2011)). After a stable baseline was recording, the normal artificial cerebrospinal fluid (aCSF) was replace with aCSF which contained 0.5 mM magnesium (Low Mg²+ in Fig 1A above) and was continuously perfused throughout the remainder of the recording. Typically, after several minutes of low Mg²+ spontaneous rhythmic burst events were observed (Fig 1B) which consisted of a biphasic waveform containing multiple spikes of varying amplitude (Fig 1C). For these experiments

mice (Kvβ2 KO & WT) were fed either a normal diet (Purina 5010) or a KD diet that consisted of ~ 75% fat (BioServ F3666) for a period of up to six weeks. Using the latency to the first burst event as an indicator of seizure susceptibility we found that on the normal diet the Kvβ2 KO mice appear to be more susceptible under normal diet (ND) conditions when compared to WT littermates (Figure 2). However there was no significant difference between KO mice and WT mice on the ketogenic diet (Figure 2). In addition we measured the rate at which the bursting occurred during the recording. Figures 3 and 4 present the average instantaneous frequency of bursts recorded for 10 minutes after the occurrence of the first event (2 min bins). Somewhat surprisingly, the Kvβ2 KO mice exhibit a significant lower frequency of events when maintained on ND when compared to WT mice (Figure 3). This difference in burst frequency was eliminated when the Kvβ2 KO mice where maintained on a KD (Figure 4).

#### 4. Key Research Accomplishments:

Nothing to report

#### 5. Conclusion:

Although our study is still ongoing and therefore definitive conclusions will need to be deferred, at this point we make the interim conclusion that in our in vitro seizure model, deletion of  $Kv\beta2$  appears to modestly reduce seizure susceptibility while also reducing the rate of repetitive bursting. Paradoxically, under ketogenic conditions hippocampal slices from the  $Kv\beta2$  KO mice appear to be similar to WT mice in terms of latency to the first event and event frequency. At present or sample size for this study is reasonable (min 7 slices per group), over the next six months we will increase this number to ensure that these findings are in fact reproducible. In addition, we are developing computational tools to analyze the complex waveforms generated during the bursting. At present we are investigating to what extent if any the amplitude and inter-burst frequency of the events are modulated by loss of  $Kv\beta2$ . Finally we are conducting similar experiments using the  $Kv\beta2^{\Delta Y90F}$  mice.

## 6. Publications, Abstracts and Presentations:

Nothing to report

## 7. Inventions, Patents and Licenses:

Nothing to report

## 8. Reportable outcomes:

Nothing to report

## 9. Other Achievements:

Nothing to report

#### 10. References:

Moore, S. J., et al. (2011). "Of mice and intrinsic excitability: genetic background affects the size of the postburst afterhyperpolarization in CA1 pyramidal neurons." <u>Journal of Neurophysiology</u> **106**(3): 1570-1580.

## 11. Appendices:

None